

C Copyright Reserved

NOTES

<u>!</u>

This drawing is the copyright of ABC Designs Ltd. It may not be copied, altered or reproduced in any way whatsoever neither passed to a third party without their written authority.
Dimensions to be checked on site prior to commencing any work. Any discrepancies should be reported to the project designer immediately.
Please do not scale these drawings.
If in doubt ask.

2

÷ω

top of truss

dM d.p.c./f.f.l. ŝ. u/s truss top of w<u>.p.</u> joist **y** cill cill head head 900 1050 1350 1200 285303 1050 922 

65mm Screed on 1000th gauge polthene dpm on 60mm Kingspan insulation ('U' value 0.25w/m2k) on 150mm deep precast concrete beam & block floor

Drawn Mc

Scale

Checked

Date

1:25 @ A1

•

Jan 05

Revision

•

Drawing no.

0205-WD04

Typical Proposed Foundations to suit ground conditions and L.A. approval.

285mm Cavity wall consisting of 103mm external Facing brickwork, 85mm cavity with 30mm Kingspan insulation to 100mm Celcon insulation block.



Rev. Description Drawing Status:

Date By Ch

Drawing	Project	Client	Office Fax Email Web	14 Ruby Clu Totton Southampt Hampshire SO40 2BF
Section A-A	New Dwelling 60 Pine Road Chandlers Ford Hampshire	Knightswood Construction Ltd.	02380 871104 02380 871104 admin@abc-designs.co.uk www.abc-designs.co.uk	14 Ruby Close Totton Southampton Hampshire SO40 2BF